

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions and listings of claims in the application.

**Listing of Claims:**

1. (Currently Amended) A drum type washing machine comprising:
  - a cabinet forming an exterior of the drum type washing machine;
  - a tub provided within the cabinet;
  - a damper having one end connected to the tub and the other end rotatably connected to the cabinet;
  - a damper pin having predetermined elasticity and rotatably joining the damper to the cabinet; and [,.]
    - an elastic member provided within the damper pin,  
wherein a hanging sill is provided to one side of the damper pin and a hanging piece is provided to the other side of the damper pin to prevent the damper pin from being separated from the cabinet.
2. (Original) The drum type washing machine of claim 1, wherein the elastic member comprises a rubber having a predetermined elasticity.
3. (Original) The drum type washing machine of claim 1, wherein the elastic member comprises a spring having a predetermined elasticity.
4. (Original) The drum type washing machine of claim 1, wherein a slot is formed along a lateral side of the damper pin.

5. (Canceled)

6. (Currently Amended) The drum type washing machine of claim [[5]] 1, wherein the hanging piece is formed as one body with the damper pin.

7. (Original) The drum type washing machine of claim 6, wherein the hanging piece has a predetermined elasticity.

8. (Currently Amended) A drum type washing machine comprising:

a cabinet forming an exterior of the drum type washing machine;

a tub provided within the cabinet;

a damper having one end connected to the tub and the other end rotatably connected to the cabinet;

a damper pin rotatably joining the damper to the cabinet ~~to have, the damper pin having a slot formed along a lateral side of the damper pin thereof; and~~

~~a felt~~ felt provided within the damper pin,

wherein the felt is impregnated with a lubricant.

9. (Canceled)

10. (Currently Amended) The drum type washing machine of claim [[9]] 8, wherein the lubricant is an oil.

11. (Currently Amended) The drum type washing machine of claim [[9]] 8, wherein the lubricant is a grease.

12. (Canceled)

13. (Original) The drum type washing machine of claim 8, wherein a hanging sill is provided to one side of the damper pin and a hanging piece is provided to the other side of the damper pin to prevent the damper pin from being separated.

14. (Original) The drum type washing machine of claim 13, wherein the hanging piece is formed as one body with the damper pin.

15. (Original) The drum type washing machine of claim 13, wherein the hanging piece has a predetermined elasticity.